

ANALYTICAL RESULTS

STANDARD DELIVERABLES FORMAT

APL WORK ORDER NUMBER: 6080636

Alpine Learning Group

Project: Alpine Learning Group

A handwritten signature in black ink that reads "Brian Wood".

Brian Wood
Laboratory Director

All Results meet the requirements of the National Environmental Laboratory Accreditation Conference and/or State specific certifications as applicable.



AQUA PRO-TECH LABORATORIES
 Certified Environmental Testing

Analytical Results Summary

Alpine Learning Group

Client: Alpine Learning Group
APL Order ID: 6080636

Contact:
Received: 8/18/16 14:30

Sample ID/Analysis	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
6080636-01 (Drinking Water)		13 Women's Room Sink		Collected:	8/18/2016	9:00		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 18:36	8/23/16 18:36	ND			0.00200	mg/L
6080636-02 (Drinking Water)		14 Men's Room Sink		Collected:	8/18/2016	9:05		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 18:40	8/23/16 18:40	ND			0.00200	mg/L
6080636-03 (Drinking Water)		08 Kitchen Faucet		Collected:	8/18/2016	9:10		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 18:45	8/23/16 18:45	ND			0.00200	mg/L
6080636-04 (Drinking Water)		10 Kitchen Coffee Maker		Collected:	8/18/2016	9:15		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 18:49	8/23/16 18:49	ND			0.00200	mg/L
6080636-05 (Drinking Water)		09 Kitchen Water Cooler		Collected:	8/18/2016	9:20		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 18:53	8/23/16 18:53	ND			0.00200	mg/L
6080636-06 (Drinking Water)		07 Classroom #7 Sink		Collected:	8/18/2016	9:25		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 18:58	8/23/16 18:58	ND			0.00200	mg/L
6080636-07 (Drinking Water)		12 Nurse Office Sink		Collected:	8/18/2016	9:30		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 19:02	8/23/16 19:02	ND			0.00200	mg/L
6080636-08 (Drinking Water)		11 Life Skills Bathroom Sink		Collected:	8/18/2016	9:35		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 19:07	8/23/16 19:07	ND			0.00200	mg/L
6080636-09 (Drinking Water)		05 Boys Room Left Sink		Collected:	8/18/2016	9:40		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 19:11	8/23/16 19:11	ND			0.00200	mg/L

FootNotes

RL - Reporting limit
 MDL - Minimum detection limit
 ND - Indicates compound analyzed for but not detected
 J - Indicates estimated value

B - Indicates compound found in associated blank
 E - Concentration exceeds highest calibration standard
 D - Indicates result is based on a dilution
 P - Greater than 25% diff. between 2 GC columns.



AQUA PRO-TECH LABORATORIES
 Certified Environmental Testing

Analytical Results Summary Alpine Learning Group

Client: Alpine Learning Group
APL Order ID: 6080636

Contact:
Received: 8/18/16 14:30

Sample ID/Analysis	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
6080636-10 (Drinking Water)		06 Boys Room Right Sink		Collected:	8/18/2016	9:45		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 19:15	8/23/16 19:15	ND			0.00200	mg/L
6080636-11 (Drinking Water)		02 Corridor Drinking Fountain		Collected:	8/18/2016	9:50		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 19:29	8/23/16 19:29	ND			0.00200	mg/L
6080636-12 (Drinking Water)		03 Girls Room Left Sink		Collected:	8/18/2016	9:55		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 19:33	8/23/16 19:33	ND			0.00200	mg/L
6080636-13 (Drinking Water)		04 Girls Room Right Sink		Collected:	8/18/2016	10:00		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 19:37	8/23/16 19:37	ND			0.00200	mg/L
6080636-14 (Drinking Water)		01 Preschool Bathroom Faucet		Collected:	8/18/2016	10:05		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 19:42	8/23/16 19:42	ND			0.00200	mg/L
6080636-15 (Drinking Water)		FB		Collected:	8/18/2016	9:00		
Total Metals								
ICP-MS Lead	EPA 200.8	8/23/16 19:46	8/23/16 19:46	ND			0.00200	mg/L

FootNotes

RL - Reporting limit
 MDL - Minimum detection limit
 ND - Indicates compound analyzed for but not detected
 J - Indicates estimated value

B - Indicates compound found in associated blank
 E - Concentration exceeds highest calibration standard
 D - Indicates result is based on a dilution
 P - Greater than 25% diff. between 2 GC columns.

CHAIN OF CUSTODY

AQUA PRO-TECH LABORATORIES

 www.aquaprotechlabs.com
 1275 BLOOMFIELD AVENUE • BUILDING 6
 FAIRFIELD, NEW JERSEY 07004
 TEL: 973.227.0422
 FAX: 973.227.2813

CLIENT: <u>Alpine Learning Group</u>	SEND REPORT TO: <u>Same</u>
ADDRESS: <u>777 Paramus Rd</u>	ADDRESS:
<u>Paramus NJ 07652</u>	
PHONE: <u>201-873-6760</u>	PHONE:
E-MAIL:	FAX:
PROJECT NAME: <u>ROB</u>	SEND INVOICE TO:
PROJECT MGR:	ADDRESS:
PROJECT or PO #:	SAMPLED BY:

TURN-AROUND TIME

APL STANDARD 2 weeks
 RUSH (choose one below)
 24 hr. date & time required _____
 48 hr. date & time required _____
 72 hr. date & time required _____
 1 week _____

REPORT FORMAT **ELECTRONIC FORMAT**

RESULTS ONLY EMAIL DELIVERY
 NJ DEP REDUCED HAZSITE EDD
 NJ DEP FULL EXCEL
 STATE FORMS/E2 REPORTING SRP# _____
 PWSID# _____

CONTAMINATION LEVEL

HIGH MEDIUM LOW

MATRIX ABBREVIATIONS: D - DRINKING WATER G - GROUNDWATER W - WASTEWATER S - SOIL SL - SLUDGE C - CONCRETE L - LAKE

APL Lab ID#	Sample Source: Field ID	Date	Time	Sample Type		M A T R I X	No. of Bottles	Preservative	Analysis Requested
				G R A B	C O M P				
<u>6080636-01</u>	<u>13 Women's Rm Sink</u>	<u>8-18-16</u>	<u>9:00A</u>						<u>LEAD</u>
<u>02</u>	<u>14 Men's Rm Sink</u>		<u>9:05A</u>						
<u>03</u>	<u>08 HT Sink</u>		<u>9:10A</u>						
<u>04</u>	<u>10 HT Copper mangle</u>		<u>9:15A</u>						
<u>05</u>	<u>09 HT Water cooler</u>		<u>9:20A</u>						
<u>06</u>	<u>07 #7 Sink</u>		<u>9:25A</u>						
<u>07</u>	<u>12 Nurses sink</u>		<u>9:30A</u>						
<u>08</u>	<u>11 Life skills Sink</u>		<u>9:35A</u>						
<u>09</u>	<u>05 BR Lt sink</u>		<u>9:40A</u>						

RELINQUISHED BY (Print) <u>[Signature]</u>	DATE <u>8-18-16</u>	RECEIVED BY (Print) <u>[Signature]</u>
Signature	Time <u>10:05</u>	Signature
RELINQUISHED BY (Print) <u>[Signature]</u>	DATE <u>8-18-16</u>	RECEIVED BY (Print) <u>[Signature]</u>
Signature	Time <u>2:30PM</u>	Signature
RELINQUISHED BY (Print)	DATE	RECEIVED BY (Print)
Signature	Time	Signature
COMMENTS/SPECIAL INSTRUCTIONS <u>\$45 per Sample \$400 1/2 day (TECHNICIAN) \$800 FULL DAY</u>		Cooler Temp. upon receipt at lab <u>32</u>

CHAIN OF CUSTODY

CLIENT: <i>Alpine Learning Group</i>	SEND REPORT TO: <i>Same</i>
ADDRESS: <i>777 Palamir Rd Palmyra, NJ, 07652</i>	ADDRESS:
PHONE: <i>201-873-6760</i>	PHONE:
E-MAIL:	FAX:
PROJECT NAME: <i>Rob</i>	SEND INVOICE TO:
PROJECT MGR:	ADDRESS:
PROJECT or PO #:	SAMPLED BY:

TURN-AROUND TIME

APL STANDARD 2 weeks

RUSH (choose one below)

24 hr. date & time required

48 hr. date & time required

72 hr. date & time required

1 week

REPORT FORMAT	ELECTRONIC FORMAT
<input type="checkbox"/> RESULTS ONLY	<input type="checkbox"/> EMAIL DELIVERY
<input type="checkbox"/> NJ DEP REDUCED	<input type="checkbox"/> HAZSITE EDD
<input type="checkbox"/> NJ DEP FULL	<input type="checkbox"/> EXCEL
<input type="checkbox"/> STATE FORMS/E2 REPORTING	SRP# _____
PWSID# _____	

CONTAMINATION LEVEL

HIGH MEDIUM LOW

MATRIX ABBREVIATIONS: D - DRINKING WATER G - GROUNDWATER W - WASTEWATER S - SOIL SL - SLUDGE C - CONCRETE L - LAKE

APL Lab ID#	Sample Source: Field ID	Date	Time	Sample Type		MATRIX	No. of Bottles	Preservative	Analysis Requested
				GRA	COMP				
<i>U050636-10</i>	<i>06 BR Rtsink</i>	<i>8-18-16</i>	<i>9:45a</i>						<i>LEAD</i>
<i>-11</i>	<i>02 Corridor DF</i>	}	<i>9:50a</i>						}
<i>-12</i>	<i>03 GR Ltsink</i>		<i>9:52a</i>						
<i>-13</i>	<i>04 GR Rtsink</i>		<i>10:00a</i>						
<i>-14</i>	<i>01 Preschool BR</i>		<i>10:05a</i>						
<i>-15</i>	<i>FB</i>		<i>9:00</i>						

RELINQUISHED BY (Print) <i>[Signature]</i>	DATE <i>8-18-16</i>	RECEIVED BY (Print) <i>[Signature]</i>
Signature	Time <i>10:05</i>	Signature
RELINQUISHED BY (Print) <i>[Signature]</i>	DATE <i>8-18-16</i>	RECEIVED BY (Print) <i>[Signature]</i>
Signature	Time <i>2:30pm</i>	Signature
RELINQUISHED BY (Print)	DATE	RECEIVED BY (Print)
Signature	Time	Signature
COMMENTS/SPECIAL INSTRUCTIONS		Cooler Temp. upon receipt at lab <u><i>33</i></u>

ALPINE LEARNING GROUP
 777 PARAMUS ROAD, PARAMUS, NJ 07652
 LEAD WATER SAMPLE LOCATIONS
 CONTACT: ROB VOORHIS 201-873-6760 / RVOORHIS@ALPINELEARNINGGROUP.ORG

SAMPLE #	ROOM #	DESCRIPTION	NOTES
1	128	PRESCHOOL BATHROOM FAUCET	✓
2	110	CORRIDOR DRINKING FOUNTAIN	✓
3	142	GIRLS ROOM LEFT SINK	✓
4	142	GIRLS ROOM RIGHT SINK	✓
5	141	BOYS ROOM LEFT SINK	✓
6	141	BOYS ROOM RIGHT SINK	✓
7	118	CLASSROOM 7 SINK	✓
8	116	KITCHEN FAUCET	✓
9	116	KITCHEN WATER COOLER	✓
10	116	KITCHEN COFFEE MAKER	✓
11	139	LIFE SKILLS BATHROOM SINK	✓
12	138	NURSE OFFICE SINK	✓
13	137	WOMENS ROOM SINK	✓
14	136	MENS ROOM SINK	✓

